

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q2043SPP-147			PAGE	1/6	REV.	G
APPLICABLE CUSTOMER (適用客戶)	GENERAL	APPLICABLE PRODUCT (適用產品)	2043-2XxxG(T)xxSA(-Axxx)	PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING		

REVISION HISTORY (修訂履歷)

REV.	ECN NO	PAGE (頁次)			
		1	2	3	4
F		Add P/N (增加料号.)			
G		Modify packaging Materials 修改包材		包材料号PVC-2042-02改为PVC-2045-02	

DIVISION (事業單位)	Product Develop (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表)	LY 01/6'23
-----------------	-------------------------	---------------	--------------	---------------	------------

歐品電子(昆山)有限公司

OUIPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


<input checked="" type="checkbox"/> CONFIDENTIAL <input type="checkbox"/> TOP SECRET			
PAGE	2/6	REV.	G

SPEC.NO.(規範編號) Q2043SPP-147

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:
(產品擺放圖示)



一.PVC Plate Packing Mode:
(PVC盤包裝方式)

(1).CT-0.9 Box:PVC-2045-02 40 PCS.

(CT-0.9 規格的紙箱放PVC-2045-02盤 40 PCS)

(2).Put product in each trough fully as shown in diagram.

(產品在盤子中擺放方式如圖所示)

(3).After filling each trough with product fully,cover it with transparent upper cover PVC-204202 1PCS。

(每盤放滿產品後,加蓋透明上蓋 PVC204202 1PCS)

(4).Stack the xx PVC plates filled with product, put them in the paper box in which has been put waterproof bag.

(將放滿產品的xx個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)




CONFIDENTIAL TOP SECRET

PAGE 3/6 REV. G

SPEC.NO.(規範編號) Q2043SPP-147

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode: (外箱包裝方式)

- (1). Paper box 0.9 standard 1 PCS, as shown in (Fig.2).
(紙箱0.9規格 1 PCS.如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2PCS in all, as shown in (Fig.1).
(每箱上下各放一塊保麗龍, 共2PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in (Fig.2).
(紙箱內側放入防水袋 1 PCS.如(圖二)所示)
- (4). Piled the 40 packing plates packed up in the waterproof.
(將放滿產品的40個PVC盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋, 然後放上第二塊保麗龍薄板)
(必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in (Fig.3).
(將外箱上層封口.如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正面和側面所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準.

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q2043SPP-147						PAGE:	4/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NUMBER (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2043-2X02G(T)xxSA(-Axxx)	3.75	517	40	20680	0.00033	6.77	10.52
Packing Box (包裝盒)	PVC-2045-02	----	2043-2X03G(T)xxSA(-Axxx)	3.75	341	40	13640	0.00049	6.70	10.45
			2043-2X04G(T)xxSA(-Axxx)	3.75	253	40	10120	0.00066	6.63	10.38
			2043-2X05G(T)xxSA(-Axxx)	3.75	198	40	7920	0.00082	6.48	10.23
			2043-2X06G(T)xxSA(-Axxx)	3.75	165	40	6600	0.00098	6.48	10.23
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----	2043-2X07G(T)xxSA(-Axxx)	3.75	143	40	5720	0.00115	6.56	10.31
			2043-2X08G(T)xxSA(-Axxx)	3.75	121	40	4840	0.00131	6.34	10.09
			2043-2X09G(T)xxSA(-Axxx)	3.75	110	40	4400	0.00147	6.48	10.23
WATERPROOF BAG (防水袋)	PE 100*70	1	2043-2X10G(T)xxSA(-Axxx)	3.75	99	40	3960	0.00164	6.48	10.23
			2043-2X11G(T)xxSA(-Axxx)	3.75	88	40	3520	0.00180	6.34	10.09
			2043-2X12G(T)xxSA(-Axxx)	3.75	77	40	3080	0.00197	6.05	9.80
Foam (保麗龍)	-----	2	2043-2X13G(T)xxSA(-Axxx)	3.75	77	40	3080	0.00213	6.56	10.31
			2043-2X14G(T)xxSA(-Axxx)	3.75	66	40	2640	0.00229	6.05	9.80
			2043-2X15G(T)xxSA(-Axxx)	3.75	66	40	2640	0.00246	6.48	10.23
DRYING AGENT (干燥劑)	-----	3	2043-2X16G(T)xxSA(-Axxx)	3.75	55	40	2200	0.00262	5.76	9.51
			2043-2X17G(T)xxSA(-Axxx)	3.75	55	40	2200	0.00278	6.12	9.87
			2043-2X18G(T)xxSA(-Axxx)	3.75	55	40	2200	0.00295	6.48	10.23
			2043-2X19G(T)xxSA(-Axxx)	3.75	44	40	1760	0.00311	5.48	9.22

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2043SPP-147					PAGE:	5/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NUMBER (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2043-2X20G(T)xxSA(-Axxx)	3.75	44	40	1760	0.00328	5.76	9.51
Packing Box (包裝盒)	PVC-2045-02	----	2043-2X21G(T)xxSA(-Axxx)	3.75	44	40	1760	0.00344	6.05	9.80
			2043-2X22G(T)xxSA(-Axxx)	3.75	44	40	1760	0.00360	6.34	10.09
			2043-2X23G(T)xxSA(-Axxx)	3.75	44	40	1760	0.00377	6.63	10.38
			2043-2X24G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00393	5.19	8.94
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----	2043-2X25G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00409	5.40	9.15
			2043-2X26G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00426	5.62	9.37
			2043-2X27G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00442	5.84	9.59
WATERPROOF BAG (防水袋)	PE 100*70	1	2043-2X28G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00459	6.05	9.80
			2043-2X29G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00475	6.27	10.02
			2043-2X30G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00491	6.48	10.23
Foam (保麗龍)	-----	2	2043-2X31G(T)xxSA(-Axxx)	3.75	33	40	1320	0.00508	6.70	10.45
			2043-2X32G(T)xxSA(-Axxx)	3.75	22	40	880	0.00524	4.61	8.36
			2043-2X33G(T)xxSA(-Axxx)	3.75	22	40	880	0.00540	4.76	8.50
DRYING AGENT (干燥劑)	-----	3	2043-2X34G(T)xxSA(-Axxx)	3.75	22	40	880	0.00557	4.90	8.65
			2043-2X35G(T)xxSA(-Axxx)	3.75	22	40	880	0.00573	5.04	8.79
			2043-2X36G(T)xxSA(-Axxx)	3.75	22	40	880	0.00590	5.19	8.94
			2043-2X37G(T)xxSA(-Axxx)	3.75	22	40	880	0.00606	5.33	9.08

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2043SPP-147								
							PAGE:	6/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NUMBER (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2043-2X38G(T)xxSA(-Axxx)	3.75	22	40	880	0.00622	5.48	9.22
Packing Box (包裝盒)	PVC-2045-02	----	2043-2X39G(T)xxSA(-Axxx)	3.75	22	40	880	0.00639	5.62	9.37
			2043-2X40G(T)xxSA(-Axxx)	3.75	22	40	880	0.00655	5.76	9.51
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----								
WATERPROOF BAG (防水袋)	PE 100*70	1								
Foam (保麗龍)	-----	2								
DRYING AGENT (干燥劑)	-----	3								

1.NOTE:

(注意)
 When the finished products have been made,take the actual weight as the standard of gross weight in each box.
 (成品出貨時,每箱之毛重應以實測重量為準)
 When the finished products have been made,stick the proper designation list on the box according to product demand.
 (成品出貨時,依據出貨要求貼上相對應的標籤單)