

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

包裝作業規範(PACKAGING SPECIFICATION)

CONFIDENTIAL TOP SECRET

規範編號SPEC.NO. Q9111SPP-996

PAGE 1/4 REV. A

適用客戶 APPLICABLE CUSTOMER	ALL	適用產品 APPLICABLE PRODUCT	9111-4308xCxxxU/Axxx				包裝方式 PACKAGING CATEGORY	TUBE PACKING
--------------------------------	-----	-------------------------------	----------------------	--	--	--	-------------------------------	--------------

修訂履歷 REVISION HISTORY

REV. / ECN NO.	頁次 PAGE							
	1	2	3	4				
A	新增包規							

事業單位 DIVISION	產發部產品開發課	核准 APPROVED		審核 CHECKED		制表 PREPARED	CCH7/12'17
------------------	----------	----------------	--	---------------	--	----------------	------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


包裝作業規範(PACKAGING SPECIFICATION)

<input checked="" type="checkbox"/> CONFIDENTIAL	<input type="checkbox"/> TOP SECRET
PAGE	2/4
REV.	A


規範編號SPEC.NO. Q9111SPP-996

包裝作業圖示及說明 PACKING OPERATION DIAGRAM & INSTRUCTION

備注 REMARK



Drawing One: Product Installing Mode
(圖1)產品裝入方式



Drawing two:Lay six tubes in two layer of buttom and lay four tubes in two layer of top. Install in four layers,20 tubes in all.

(圖2)下面兩層每層放6管。上面兩層每層放4管,共20管

Disposing schematic diagram of Tube in the inner box, for reference.

Tube管在內盒的擺放示意圖，供參考

一.Inner box packing mode: (內盒包裝方式)

(1).Each tube packing mode:Stuff one end of tube with stopper, stuff the other end of the tube after load into difinite quality of product. as shown in drawing One.And stuffing in stopper,the end of the stopper must be level with the tube mouth, can't be shown.

(每管包裝方式:用塞子塞住管子一頭,放入一定數量產品後,塞住另一頭,裝入方式如(圖一)所示.且塞子塞入後,末端要和管口平齊,不可外露.)

(2)Drawing two:Lay six tubes in two layer of buttom and lay four tubes in two layer of top. Install in four layers,20 tubes in all.

下面兩層每層放6管。上面兩層每層放4管,共20管

(3)Disposing schematic diagram of Tube in the inner box, for reference.

Tube管在內盒的擺放示意圖，供參考

歐品電子(昆山)有限公司

OUIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q9111SPP-996 PAGE: 4/4 REV. A

PACKING MATERIAL (包裝材料)			PRODUCT P/N	PACKING N.W.	PACKING QUANTITY (包裝數量)					WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(包材重量)	PCS/TUBE	TUBE/INNER BOX	PCS/INNER BOX	INNER BOX/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	9111-4308xCxxxU/(Axxx)	5.23	35	20	700	4	2800	0.00274	7.67	12.90
PACKING INNER BOX (內紙箱)	CT-0	4										
TUBE (管子)	TUBE-41 (面針長度在4.30mm 以下用 TUBE 41)	80										
TUBE PLUG (塞子)	-----	160										
WATERPROFF BAG (防水袋)	PE100*70	1										
DRYING AGENT (干燥劑)	-----	3										

1.NOTE:
(注意)
When the finished products have been made,take the actual weight as the standard of gross weight in each box.
(成品出貨時,每箱之毛重應以實測重量為準)
When the finished products have been made,stick the proper designation list on the box according to product de
CT-1.6 Produce goods taiwan ,CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OP, CT-1.9出貨上海SH)
It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.(印字方式跟鍍金方式不影響包裝方式,可以共用)