

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q2044SPP-170				PAGE	1/6	REV.	G
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	2044-1XxxG(T)xxSA		PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING	

REVISION HISTORY (修訂履歷)

ECN REV. NO	PAGE (頁次)								
	1	2	3	4	5	6			
F	ADD 2044-1x21TxxSA (新增料號.)								
G	Modify the packing quantity (修改包裝數量.)								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)		CHECKED (審核)		PREPARED (制表)	zbs 07/25'16
-----------------	-----------------------------	---------------	--	--------------	--	---------------	--------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


<input checked="" type="checkbox"/> CONFIDENTIAL	<input type="checkbox"/> TOP SECRET		
PAGE	2/6	REV.	G

SPEC.NO.(規範編號) Q2044SPP-170

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:
(產品擺放圖示)



- 一.PVC Plate Packing Mode:
(PVC盤包裝方式)
- (1).CT-0.9 Box: PVC-2045-01.
(CT-0.9 規格的紙箱放PVC-2045-01盤)
 - (2).Put product in each trough fully as shown in diagram.
(產品在盤子中擺放方式如圖所示)
 - (3).After filling each trough with product fully,cover it with transparent upper cover PVC-2045-01 1PCS 。
(每盤放滿產品後,加蓋透明上蓋 PVC-2045-01 1PCS)
 - (4).Stack the XX PVC plates filled with product, put them in the paper box in which has been put waterproof bag.
(將放滿產品的XX個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)




CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q2044SPP-170

PAGE 3/6 REV. G

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode:

(外箱包裝方式)

- (1). Paper box 0.9 standard 1 PCS, as shown in drawing Two.
(紙箱0.9規格 1 PCS, 如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2PCS in all, as shown in drawing One.
(每箱上下各放一塊保麗龍, 共2PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two.
(紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof.
(將放滿產品的XX個PVC盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋, 然後放上第二塊保麗龍薄板)
(必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in drawing Three.
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2044SPP-170						PAGE:	4/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.9	1	2044-1X02xxxSA	CT-0.9	3.54	516	60	30960	0.00019	5.73	9.27
Packing Box (包裝盒)	PVC-2045-01		2044-1X03xxxSA	CT-0.9	3.54	348	60	20880	0.00028	5.79	9.33
			2044-1X04xxxSA	CT-0.9	3.54	264	60	15840	0.00037	5.86	9.40
			2044-1X05xxxSA	CT-0.9	3.54	216	60	12960	0.00046	5.99	9.53
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2044-1X06xxxSA	CT-0.9	3.54	180	60	10800	0.00056	5.99	9.53
			2044-1X07xxxSA	CT-0.9	3.54	156	60	9360	0.00065	6.06	9.60
			2044-1X08xxxSA	CT-0.9	3.54	132	60	7920	0.00074	5.86	9.40
WATERPROOF BAG (防水袋)	PE 100*70	1	2044-1X09xxxSA	CT-0.9	3.54	120	60	7200	0.00083	5.99	9.53
			2044-1X10xxxSA	CT-0.9	3.54	108	60	6480	0.00093	5.99	9.53
			2044-1X11xxxSA	CT-0.9	3.54	96	60	5760	0.00102	5.86	9.40
Foam (保麗龍)	-----	2	2044-1X12xxxSA	CT-0.9	3.54	84	60	5040	0.00111	5.59	9.13
			2044-1X13xxxSA	CT-0.9	3.54	84	60	5040	0.00120	6.06	9.60
			2044-1X14xxxSA	CT-0.9	3.54	72	60	4320	0.00130	5.59	9.13
DRYING AGENT (干燥劑)	-----	3	2044-1X15xxxSA	CT-0.9	3.54	72	60	4320	0.00139	5.99	9.53
			2044-1X16xxxSA	CT-0.9	3.54	60	60	3600	0.00148	5.33	8.87
			2044-1X17xxxSA	CT-0.9	3.54	60	60	3600	0.00157	5.66	9.20
			2044-1X18xxxSA	CT-0.9	3.54	60	60	3600	0.00167	5.99	9.53

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product de

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2044SPP-170						PAGE:		5/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2044-1X19xxxSA	CT-0.9	3.54	48	60	2880	0.00176	5.06	8.60	
Packing Box (包裝盒)	PVC-2045-01		2044-1X20xxxSA	CT-0.9	3.54	48	60	2880	0.00185	5.33	8.87	
			2044-1X21xxxSA	CT-0.9	3.54	48	60	2880	0.00194	5.59	9.13	
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2044-1X22xxxSA	CT-0.9	3.54	48	60	2880	0.00204	5.86	9.40	
			2044-1X23xxxSA	CT-0.9	3.54	48	60	2880	0.00213	6.13	9.67	
			2044-1X24xxxSA	CT-0.9	3.54	36	60	2160	0.00222	4.80	8.34	
WATERPROOF BAG (防水袋)	PE 100*70	1	2044-1X25xxxSA	CT-0.9	3.54	36	60	2160	0.00231	5.00	8.54	
			2044-1X26xxxSA	CT-0.9	3.54	36	60	2160	0.00241	5.19	8.73	
			2044-1X27xxxSA	CT-0.9	3.54	36	60	2160	0.00250	5.39	8.93	
Foam (保麗龍)	-----	2	2044-1X28xxxSA	CT-0.9	3.54	36	60	2160	0.00259	5.59	9.13	
			2044-1X29xxxSA	CT-0.9	3.54	36	60	2160	0.00268	5.79	9.33	
			2044-1X30xxxSA	CT-0.9	3.54	36	60	2160	0.00278	5.99	9.53	
DRYING AGENT (干燥劑)	-----	3	2044-1X31xxxSA	CT-0.9	3.54	36	60	2160	0.00287	6.19	9.73	
			2044-1X32xxxSA	CT-0.9	3.54	24	60	1440	0.00296	4.26	7.80	
			2044-1X33xxxSA	CT-0.9	3.54	24	60	1440	0.00305	4.40	7.94	
			2044-1X34xxxSA	CT-0.9	3.54	24	60	1440	0.00315	4.53	8.07	
			2044-1X35xxxSA	CT-0.9	3.54	24	60	1440	0.00324	4.66	8.20	

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product de

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q2044SPP-170								PAGE:	6/6	REV.	G
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2044-1X36xxxSA	CT-0.9	3.54	24	60	1440	0.00333	4.80	8.34	
Packing Box (包裝盒)	PVC-2045-01		2044-1X37xxxSA	CT-0.9	3.54	24	60	1440	0.00342	4.93	8.47	
			2044-1X38xxxSA	CT-0.9	3.54	24	60	1440	0.00352	5.06	8.60	
			2044-1X39xxxSA	CT-0.9	3.54	24	60	1440	0.00361	5.19	8.73	
Packing Box Cover (包裝盒蓋子)	PVC-2045-01	----	2044-1X40xxxSA	CT-0.9	3.54	24	60	1440	0.00370	5.33	8.87	
WATERPROOF BAG (防水袋)	PE 100*70	1										
Foam (保麗龍)	-----	2										
DRYING AGENT (干燥劑)	-----	3										

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product de